

# **Initiatives to Covid-19 Cases: A Trend Analysis**

Leejane P. Cogollodo<sup>1</sup>, Rhobegen P. Burgos<sup>2</sup>, & Liezel V. Chan<sup>3</sup>

1,2Student, UM Panabo College

<sup>3</sup>Dean, UM Panabo College, Panabo City, Philippines

DOI: https://dx.doi.org/10.47772/IJRISS.2024.804027

Received: 25 March 2024; Accepted: 30 March 2024; Published: 29 April 2024

## **ABSTRACT**

Utilizing the five-tier model of the Theory of Needs by Abraham Maslow, safety from disease outbreaks is a fundamental human need (Mcleod, 2020). As such, this study aims to evaluate the national-level initiatives implemented by the Philippine government through a trend analysis of the number of cases and recoveries from February 27, 2020, until April 26, 2023. Moving averages, trend analysis, content analysis, and systems synthesis were used to develop concrete conclusions. Findings show a direct relationship between the number of COVID-19 cases and recoveries, with a two-week interval between their uptrends. Surges in cases also occur around the holiday season. The most prominent initiatives the government introduced during uptrends in COVID-19 cases are community quarantine protocols, border control measures, and vaccination efforts. Other inventions include engineering and administrative control, economic and financial assistance, open information system, case definitions of COVID-19, management of non-COVID-19 patients, research centers and testing laboratories, remains of COVID-19 cases and PUIs, and strategic planning. These interventions led to an uptrend in COVID-19 recoveries after two weeks. These strategies could be implemented in health emergencies to mitigate its effects and curb further transmission.

**Keywords:** COVID-19 cases, COVID-19 recoveries, initiatives, trend analysis

## **INTRODUCTION**

In December 2019, the People's Republic of China experienced a new illness from the novel coronavirus 2019-nCoV, eventually known as the severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2). By January 31, 2020, it had been deemed a worldwide health emergency; by March 11, it had been labeled a pandemic (Gralinski & Menachery, 2020; Dhama et al., 2020).

The COVID-19 pandemic has caused a shocking loss of life on a global scale and poses an unprecedented threat to food systems, public health, and the workplace. Several businesses face an existential threat, and tens of millions of people risk falling into extreme poverty due to the pandemic's devastating economic and social devastation. The livelihoods of over half of the 3.3 billion workers worldwide are in jeopardy. The informal economy's workforce is especially vulnerable because most need access to social safety, high-quality healthcare, or productive assets. Many people cannot provide for themselves and their families during lockdowns because they lack the means of earning a living (Wang et al., 2021; World Health Organization, 2020d). As of September 14, 2022, the World Health Organization (2022a) tallied over 607 million COVID-19 cases worldwide.

With no remedy at hand, governments turned towards containment and mitigation strategies to reduce the severe health consequences brought on by COVID-19. When the pandemic struck the country, the PH government, through the IATF-EID (Inter-Agency Task Force on Emerging Infectious Diseases), outlined

ISSN No. 2454-6186 | DOI: 10.47772/IJRISS | Volume VIII Issue IV April 2024



various quarantine measures and other nonpharmaceutical interventions (Talabis et al., 2021). In line with the university's research agenda for the year 2022, the Mathematics Education researchers created a trend analysis of the recorded cases and recoveries of COVID-19 in the Philippines. They also analyzed the implications of national-level initiatives implemented by the government against the trend of data generated.

The researchers pursued this study as no research of the exact nature exists at UM Panabo College. Moreover, despite the current decline in cases (Villanueva, 2022), the need to suppress the further spread of the virus is still present, as surges may occur occasionally. Hence, an updated trend analysis will remain vital in the country's countermeasures during the COVID-19 pandemic. The objectives of this study are to generate trend analysis on data of COVID-19 cases from February 27, 2020, until April 26, 2023, to generate insights on initiatives and responses to COVID-19 cases, and to determine the relevance of initiatives and responses to the trend of data on COVID-19 cases.

This research will provide new and updated insights into the knowledge about the COVID-19 pandemic. Through this research, the government, different agencies, and the community will further realize the benefits of implementing interventions as a preventive measure against COVID-19. As conclusions were derived empirically, this could also greatly enhance people's compliance with government measures during disease outbreaks. Furthermore, the analysis presented in this study will impart valuable information for future research of new theories regarding disaster and disease mitigation strategies.

## **METHODS**

#### **Dataset**

This study utilized secondary data gathered through open data sources available on the Internet. There exist regulated websites that only share accurate data and can be relied on by researchers. Most of these websites are managed by the government or private organizations that are paid data collectors (Formplus Blog, 2020). Additionally, the Department of the Army Washington DC (2012) asserted that open sources are reshaping the world. A wide range of individuals can use publicly available information to achieve a wide range of goals. The significance and relevance of open-source intelligence serve as a forced economy, a new leverage capability, and a cue for technical or classified assets to refine and validate information and intelligence. During their research, they conducted open-source reliability ratings and content credibility ratings, proving that open-source information is credible and reliable.

This study covered only the COVID-19 cases and recoveries, as well as the national-level initiatives from February 27, 2020, until April 26, 2023, to generate an updated trend analysis and insight into the initiatives implemented by the government. The DOH started tracking the COVID-19 cases by February 27, 2020; hence, this was also the starting point of the researchers' analysis.

This study used the open-source statistics on COVID-19 provided by the Department of Health. The Department of Health (DOH) is the Philippines' primary health agency. The agency uploaded a tracker that indicates the number of cases, recoveries, and deaths from the beginning of the pandemic in the country until the present. On the other hand, the list of initiatives and policies included only national-level issuances of the Office of the President, the IATF, the House of Representatives, and DOH within the target period of the researchers. These agencies are at the forefront of the country's battle against COVID-19 and passed several resolutions and interventions to mitigate the aftermath of COVID-19 in the country (Parrocha, 2021).

### **Materials and Instruments**

This study utilized secondary data as an alternative to collecting information. It is similar to the study of Goel (2022), who transitioned from gathering primary data through interviews to utilizing readily available

ISSN No. 2454-6186 | DOI: 10.47772/IJRISS | Volume VIII Issue IV April 2024



secondary data. Turner (2018) also suggested using secondary analysis of existing datasets as a substitute for the traditional qualitative interview or similar kinds. Holm (2021) further states that there are other methods of gathering data besides interviews and surveys.

## **Design and Procedure**

The researchers applied the mixed-method design in this study. Shorten and Smith (2017) state that the mixed method is a way of conducting research that involves gathering and examining quantitative and qualitative data for the same topic. Based on the order of utilization, this research specifically employed the explanatory sequential mixed method design wherein quantitative data will first be collected. This was followed by collecting qualitative data to interpret the quantitative results (Plano, 2011, as cited in Subedi, 2016).

Quantitative phase. The moving average analysis was generated first to know the uptrend and downtrend of the study. Fernando (2022) claimed that the rising and declining moving averages indicate the increased and decreased numbers affected. This was followed by trend analysis—a technique for creating future predictions based on historical data because it enables the comparison of data points over a certain period (Coresignal, 2022).


**Qualitative phase.** The researchers used content analysis to quantify and examine the occurrence, significance, and connections of specific words, themes, or concepts (Content Analysis, 2022). Lastly, Wyborn et al. (2018) state that synthesis combines information already known with relevant research findings. By integrating those discoveries, synthesis seeks to make them more universal and applicable while also creating new knowledge.

## RESULTS AND DISCUSSION

## Trend Analysis on Data of COVID-19 Cases and Recoveries from February 27, 2020, to April 26, 2023

The highest number of COVID-19 cases, based on Figure 1.1, occurred in the 98th week (January 6-12, 2022), with a peak of nearly two hundred thousand active cases. During this period, the extensive holiday season in the country that began in September was concluded through the celebration of the "Feast of Three Kings" (World Remit Content Team, 2022). The lowest recorded number of COVID-19 cases was during the first week of COVID-19 monitoring and from January 26 until March 8, 2023. As it is still the first week, cases were expected to be on the lowest spectrum during the former period. On the other hand, the standard case metrics of the latter period may be attributed to the initiatives taken by the government (Umakanthan et al., 2020; WHO, 2020a; Centers for Disease Control and Prevention, 2021).

Figure 1.1. Number of COVID-19 Cases and Recoveries






Subsequently, Figure 1.1 shows that the highest number of recoveries of COVID-19 cases was recorded on January 13, 2022, until February 2, 2022, with over 225,948 recoveries at its peak. This occurred a day after the highest number of COVID-19 cases was recorded. Conversely, the lowest number of recoveries was recorded during the first six weeks of COVID-19 monitoring (February 27, 2020, until April 8, 2020). As active cases are on the lower end during these periods, it is reasonable that the reflected number of recoveries would exhibit the same behavior.

Additionally, peaks in cases and recoveries occur almost simultaneously. Hence, there is a direct relation between the number of cases and recoveries. Whenever there is a spike in COVID-19 cases, the number of recoveries will also increase soon after (Direct & Inverse Variation, n.d.).

Moving on, Figure 1.2 shows the moving averages (MAs) of COVID-19 cases. The trend moved slightly on the 25th week (August 13-19, 2020) and into April 26, 2023. The actual number of cases broke past the three MAs in three moves (highlighted in green) and fell below the MAs three times (highlighted in red). The uptrends of COVID-19 cases began on the 54th (March 4 to April 28, 2021), 74th (July 22 to September 29, 2021), and 97th (December 30, 2021, to February 2, 2022) week. Health officers posit that the most likely cause of the first uptrend is the emergence of new coronavirus variants in the country and the citizens' disobedience of the preventive measures (not wearing face masks and face shields and not exercising social distancing and stay-at-home protocols) (Cortez, 2021; David, 2021; Gotinga, 2021).

Figure 1.2. Moving Average of COVID-19 Cases




Moreover, reports point to Delta variant emergence and low vaccination rate as one of the causes for the second uptrend of cases in the country (Wee & Elemia, 2022; Caritas Australia, 2021; Toole, 2021). The third uptrend came in the country's final days of the holiday season, wherein New Year's celebration is only a mere extension of the extensive festivities celebrated since September (Walden, 2021). On the other hand, the downtrend in COVID-19 cases began on the 86<sup>th</sup> (October 14 to December 29, 2021), 102<sup>nd</sup> (February 3 to April 20, 2022), and 139<sup>th</sup> (October 20, 2022, to March 1, 2023) week.

Furthermore, Figure 1.3 displays the moving average of COVID-19 recoveries. The trend moved slightly by the 31<sup>st</sup> week (September 24-30, 2020) until April 26, 2023. The number of recoveries exceeded the MAs three times (highlighted in green) and dropped below the Mas in three moves (highlighted in red). The uptrend in recoveries began on the 56<sup>th</sup> (March 18 to May 19, 2021), 76<sup>th</sup> (August 5 to October 13, 2021), and 99<sup>th</sup> (January 13 to February 16, 2022) week. The first uptrend in recoveries is due to improved contact



tracing and accessibility of information expended by DOH with its *Oplan Recoveries* (Magsambol, 2021). The two other uptrends could be best explained by the efficacy of the government initiatives. Inversely, the downtrend in recoveries started on the 88<sup>th</sup> (October 28, 2021, to January 12, 2022), 103<sup>rd</sup> (February 10 to May 4, 2022), and 142<sup>nd</sup> (November 10, 2021, to February 22, 2023) week.

Figure 1.3. Moving Average of COVID-19 Recoveries



As mentioned, the number of cases and recoveries have a direct relationship; therefore, it is no coincidence that their uptrends and downtrends occur in close intervals.

## Insights on Initiatives and Responses to Covid-19 Cases

The researchers identified over 441 national-level initiatives out of 511 initiatives (with 22 localized initiatives and 48 missing copies of interventions) released by the Office of the President, House of Representatives, Inter-Agency Task Force (IATF), and Department of Health (DOH). After analyzing its contents, the researchers identified twelve major themes in Table 1.

Table 1. Themes of Initiatives and Responses to COVID-19 Cases

Major Theme	Core Ideas
Community Quarantine Protocols	Physical distancing
	Work from home
	Class suspension
	Limited business operations
	Transportation protocols
	Minimum public health standards
	Risk classification
	Isolation and quarantine protocols
Testing	Distribution of test kits
	Guidelines on the use of test kits
	Mass testing
	Waste disposal of test kits
	Physical barriers
Engineering and Administrative Control	Ventilation



	Hygiene and sanitation facilities
	Screening and Triage
	Visual cues
	Proper storage, collection, treatment, and disposal of used PPE
Economic and Financial Assistance	Incentives for healthcare workers
	Social amelioration
	Price freeze and suggested retail price of emergency medicines and devices
Vaccination	Participation in clinical trials of COVID-19 vaccines
	Procurement and distribution of vaccines
	Management and administration of vaccines
	Subgroups
Open Information System	Transparent and accessible information
	Contact tracing
	Surveillance
Case Definitions of COVID-19	Suspected, probable, and confirmed case
Management of Non-COVID-19 Patients	Treatment and nursing of pregnant women, women about to give birth, and newborns
Research Centers and Testing Laboratories	Establishment and utilization
	Licensing
	Activation of DOH Subnational laboratories
Remains of COVID-19 Cases and PUIs	Handling and disposal of remains
Border Control Measures	Country risk classification
	Travel restriction
	Travel ban
	Suspension of VISA issuances
Strategic Planning	Generic outline for preparation, response, and recovery intentions
	Declaration of State of Calamity

## **Community quarantine protocols**

Community quarantine protocols cover measures on physical distancing, quarantine, working from home, suspension of classes, implementation of minimum public health standards (hand hygiene, cough etiquette, and wearing of masks and other personal protective equipment), operational guidelines of establishments and premises, and transportation protocols (Department of Health, 2022b; & Amit, Pepito, & Dayrit, 2021). The IATF provisioned for community quarantine protocols via IATF Resolution No. 144-D, series of 2021, which states that:

...the IATF approved under IATF Resolution No.136-A (s.2021), the shift in the policy of classifying Provinces, Highly Urbanized Cities (HUCs), and Independent Component Cities (ICC) for purposes of community quarantine wherein the new classification framework focuses on the imposition of granular lockdown measures and having an alert-level system (Alert Level 1 to 4) with each alert level limiting restrictions only to identified high-risk activities. (Par. 5, October 18, 2021)

Initiatives outlining the community quarantine protocols are one of the most prominent interventions enacted by the government, with the country's lockdown being dubbed as one of the 'longest' in the world

ISSN No. 2454-6186 | DOI: 10.47772/IJRISS | Volume VIII Issue IV April 2024



(See, 2021). It all began when the entire Luzon was placed under Enhanced Community Quarantine (the highest risk classification) to curb a rise in COVID-19 cases in the country (Luna, 2020). Shortly after a few months, the whole country was under different levels of risk classification.

## **Testing**

Testing is vital in containing and relieving the widespread COVID-19 by distinguishing contaminated people to intercept further person-to-person transmission of COVID-19 (*Why Is COVID-19 Testing Important?* n.d.). Testing includes the distribution, guidelines, and use of antigen, antibody, and reverse transcription-polymerase chain reaction (RT-PCR) test kits (WHO Western Pacific, 2022). Guidelines for COVID-19 Mass Testing have been developed by DOH and were approved by the IATF, to wit:

The IATF shall exhaust all means necessary to increase the COVID-19 testing capacity of the country, and for this reason, hereby adopts and approves the Guidelines for COVID-19 Mass Testing as presented by the Department of Health. (IATF Resolution No. 21, s. 2020, Item B, April 6, 2020)

Mass testing involves taking pharyngeal or nasal swabs to test for DNA, frequently using the polymerase chain reaction method. It is regarded as an effective method for containing the COVID-19 pandemic because it may be able to locate and isolate cases that are still in the early stages of infection and reduce the risk of virus transmission, more so with the existence of various and more lethal variants (Mendoza et al., 2021; & Shen et al., 2021).

## **Engineering and administrative controls**

Engineering controls are used to eliminate hazards or to create a barrier that separates employees from them. Administrative controls are adjustments to work practices made to shorten exposure's duration, frequency, and severity (UC San Diego, 2022). IATF Resolution 118-A, series of 2021, articulates:

Improved implementation of engineering and administrative controls, especially ventilation standards and actions against crowding and gatherings. (Item E-1, May 31, 2021)

Engineering and administrative controls may be implemented by installing physical barriers in closed spaces and ensuring proper ventilation using windows, fans, exhaust fans, and air filtration devices with High-Efficiency Particulate Air (HEPA) filters. Moreover, hand hygiene and sanitation facilities should be present in the most conspicuous areas of public and private premises, as well as a triage area where symptom assessment is conducted. Visual cues may also remind the public to exercise physical distancing, cough, sneezing etiquette, and proper hand hygiene. Furthermore, adequate storage, collection, treatment, and disposal of used PPE and other infectious waste must be maintained at all times (Department of Health, n.d.).

#### **Economic and financial assistance**

Economic and financial assistance comprises the provision of a price freeze and suggested retail prices of essential emergency medicines and devices, as well as providing cash incentives to healthcare workers and social amelioration programs for citizens ("Financial Assistance," n.d.; Dimagiba, 2020). The Department of Social Welfare and Development launched a social amelioration program (SAP), which the IATF later approved. One initiative indicates:

The recommendations of the Department of Labor and Employment for the social amelioration program for the formal workers' sector as presented are at this moment approved (IATF Resolution No. 21, s. 2020, Item A, April 6, 2020)

When the country's economy hit bottom-low due to the pandemic, the Philippine poverty index rose to

ISSN No. 2454-6186 | DOI: 10.47772/IJRISS | Volume VIII Issue IV April 2024



almost 20 million (18.1% of the population) by 2021, based on the report of the Philippine Statistics Authority (Dela Cruz, 2022). Hence, financial assistance during the pandemic is indeed essential to recover from the loss of economic opportunities (Zoleta, 2021).

#### Vaccination

By increasing vaccination rates, the nation has been able to control the spread of COVID-19 and open up more economic opportunities, accelerating the country's recovery rate (World Bank Group, 2022). On February 26, 2021, the Office of the President approved the Republic Act No. 11525 or the "COVID-19 Vaccination Program Act of 2021," whose primary objective includes:

Address the adverse impact of COVID-19 through the procurement and administration of safe and effective COVID-19 vaccines by the National Government through the Department of Health (DOH) and the National Task Force Against COVID-19 (NTF), and other duly constituted authorities and instrumentalities.

The IATF also supports the "Bayanihan, Bakunahan" program, which aims to increase vaccination coverage and mobilize stakeholders from all sectors to support the government's goal of ensuring a safe environment for its citizens (Department of Health, 2021).

In support of the whole-of-nation and whole-of-society approach to COVID-19 vaccination, the IATF fully supports the National Vaccination Days or the "Bayanihan, Bakunahan" from November 29 to December 1, 2021. All member agencies are directed to extend full support for this simultaneous vaccination rollout. (IATF Resolution No. 149, s. 2021, item C, November 18, 2021)

## **Open information system**

Information held by the government, such as details about its activities, publications, and spending, is proactively released and made accessible to the general public via various channels in user-friendly formats (Executive & Indigenous Affairs, n.d.). To track COVID-19 cases, recoveries, and deaths daily and weekly, DOH launched the COVID-19 tracker (*COVID-19 Tracker*, n.d.). This is evident in item C under Resolution No. 22, series of 2020, released by IATF on April 8, 2020, which states that:

The IATF adopts the policy of mandatory public disclosure of personal information relating to positive COVID-19 cases to enhance the contact-tracing efforts of the government.

Information systems are crucial during the pandemic as it facilitates the communication chain of disease surveillance. It provides nationwide access to data regarding COVID-19, especially in case monitoring and outlining its possible implications to one's community, workplace, or livelihood (Liu, 2020). Kilroy and Somma (2020) also affirmed that monitoring systems enable tracking, real-time feedback, course correction, and learning. Consequently, it ensures that interventions developed are delivered to the target groups and that the information available can be utilized to generate further knowledge, making the creation of new and better initiatives possible.

### **Case definitions of COVID-19**

For public health surveillance, a disease is defined according to a set of uniform standards called a surveillance case definition (Division of Health Informatics and Surveillance, 2021). The DOH released case definitions to classify cases into suspect, probable, and confirmed COVID-19 cases (Department of Health, 2022c).

Under the updated guidelines of DOH on the classification of individuals for the surveillance and management of the COVID-19 health event, all agencies and Local Government Units (LGUs) are directed

ISSN No. 2454-6186 | DOI: 10.47772/IJRISS | Volume VIII Issue IV April 2024



to apply said category in all subsequent issuances related to COVID-19, as well as to update existing issuances in accordance therewith. (IATF Resolution No. 23, s. 2020, Item C, April 13, 2020)

## **Guidelines on management of non-COVID-19 patients**

This outlines the guidelines for the treatment and nursing of non-COVID-19 patients (pregnant women, women about to give birth, and newborns) to ensure continuity of services during the onslaught of the pandemic (Department of Health, 2020a). DOH Memorandum No. 2020-0319, dated July 13, 2020, indicates that:

Protocols and guidelines in preventing, controlling, and treating infectious diseases during the prenatal period, childbirth, the immediate postpartum and postnatal periods, and the newborn's first 28 days of life are already in place and have incorporated the rights-based approach to health. The continuity of services to deliver quality maternal, newborn, and child care for women, infants, and children are assured in various laws (Par. 2)

## Research centers and testing laboratories

Due to the increasing number of cases throughout the globe, the WHO declares the COVID-19 outbreak as a Public Health Emergency of International Concern (PHEIC) (World Health Organization, 2020b). To amplify the country's affirmative testing capacity, the DOH has:

sub-allotted funds to the Research Institute for Tropical Medicine (RITM) to facilitate the activation of the following existing subnational laboratories: ... (DOH Memorandum No. 2020-0071, Par. 3)

Furthermore, The IATF supports the plan of the Department of Science and Technology (DOST) to establish research centers that can initiate the local vaccine development, as per IATF Resolution No. 39, series of 2020, dated May 22, 2020, which states:

The IATF supports the plans of the DOST on the establishment of the following research centers that can initiate and strengthen local vaccine development towards the country's vaccine self-reliance and self-sufficiency: ... (Item C)

### Remains of COVID-19 cases and PUIs

Remains of COVID-19 confirmed cases and PUIs must be handled and disposed of properly since they pose a danger of contamination even after death. According to the report published online on April 11 as a preprint for the Journal of Forensic and Legal Medicine, a forensic physician working in Bangkok, Thailand, most likely contracted the virus from a deceased patient (Geggel, 2020). DOH Memorandum No. 2020-0158 discussed the proper handling of the remains of suspect, probable, and confirmed COVID-19 cases, to wit:

This Department Memorandum is being issued to reiterate the proper handling of the remains of confirmed COVID-19 cases issued under Department Memorandum 2020-0067 dated February 3, 2020, on the Guidelines on the Disposal and Shipment of the Remains of Confirmed Cases of 2019 Novel Coronavirus Acute Respiratory Disease (2019-nCoV ARD) and to provide guidance on the proper handling of remains of suspect, probable, and confirmed COVID-19 cases. (I, Par. 2)

#### **Border control measures**

Due to the quick spread of the virus across nations, each government imposed various interventions

ISSN No. 2454-6186 | DOI: 10.47772/IJRISS | Volume VIII Issue IV April 2024



reduce its transmission, including border controls (Hossain et al., 2020). Border control refers to the measures a nation or a group of countries takes to monitor the borders and control the cross-border movement of people, goods, and animals (*Border Control*, n.d.). In a press release dated February 2, 2020, the Philippine President issued a travel ban covering all travelers from any part of China to curb the spread of the virus (Senate of the Philippines, 2020).

Upon the recommendation of the Department of Health (DOH) and Senator Christopher Lawrence "Bong" Go, President Rodrigo Duterte will order the expansion of the temporary travel ban over the 2019-nCoV ARD or the Novel Coronavirus Acute Respiratory Disease to include travelers coming from any part of China and its Special Administrative Regions to help combat the spread of the disease.

## **Strategic planning**

Since the beginning of the pandemic, the PH government has released various strategies to curb the transmission of COVID-19 throughout the country. Republic Act No. 11469, or the "Bayanihan to Heal as One Act" approved on March 24, 2020, declares a national emergency due to the increasing number of COVID-19 cases. With this declaration, the different government offices have outlined further specific guidelines to manage the current situation. On September 11, 2020, the "Bayanihan to Recover as One Act" (RA No. 11494) was approved, whose primary aim is to lay down the response and recovery interventions of the Philippine economy, along with the mechanisms that should be taken to accelerate its recovery and strengthen its resiliency.

Additionally, the DOH released the Prevent-Detect-Isolate-Treat-Reintegrate (PDITR) strategy, a focal point in the National Action Plan to transition to the "new normal" (Department of Health, 2020b). Under the Prevent component, the DOH enforces quarantine restrictions, measures, and minimum public health requirements even in evacuation centers. In its Detect component, contact tracing efforts and the research laboratories' continuous monitoring of the virus samples were outlined. In the Isolate component of the strategy, government hospitals, private hospitals, and other concerned agencies were tapped as additional quarantine facilities. On the other hand, under the Treat and Reintegrate component of the strategy, emergency medical supplies were distributed to facilitate the growing number of cases in several healthcare facilities nationwide.

Intensifying the Prevent-Detect-Isolate-Treat-Reintegrate strategies in Region IV-A and other areas experiencing COVID-19 surges and ensuring prompt distribution of vaccines to Priority Groups A1-A3... (IATF Resolution No. 121, s. 2021, Item A-vi-a, June 14, 2021)

### CONCLUSIONS AND RECOMMENDATIONS

Three years into the pandemic has been nothing but a rollercoaster. The devastating consequences of COVID-19 proved almost impossible to overcome but were somehow managed after expending arduous efforts. Still, its threatening presence remains. Governments should always be wary of a possible surge in cases and consider this a matter that calls for efficient preparation and response.

The trend analysis of COVID-19 cases and recoveries affirms that most surges occur around the holiday seasons, except in 2022, since vaccination efforts were more extensive during the year's Yuletide period. It was also discovered that the number of cases and recoveries have a direct relationship—an increment in cases would signal a similar behavior in the number of recoveries.

Out of the 441 national-level initiatives, the researchers classified them into 12 themes, wit: (i) community quarantine protocols, (ii) testing, (iii) engineering and administrative control, (iv) economic and financial assistance, (v) vaccination, (vi) open information system, (vii) case definitions of COVID-19, (viii)

ISSN No. 2454-6186 | DOI: 10.47772/IJRISS | Volume VIII Issue IV April 2024



management of non-COVID-19 patients, (ix) research centers and testing laboratories, (x) remains of COVID-19 cases and PUIs, (xi) border control measures, and (xii) strategic planning.

Upon analyzing the relevance of initiatives to the number of cases, community quarantine protocols, border control measures, and vaccination cover the majority of interventions released whenever a surge in COVID-19 cases occurs. These initiatives are the critical elements that lessened the pandemic's adverse effects on the country. They added that any nation's capacity to respond to future health emergencies would benefit from the standardization of these policies.

On May 4, 2023, the director of the World Health Organization concluded that COVID-19 is no longer a public health emergency of concern on a global scale (World Health Organization, 2023). Even though COVID-19 is no longer considered a global health emergency, experts warn the public to remain vigilant (Cabico, 2023b). With the entry of XBB.1.16 subvariant in the Philippines, cases have increased since the end of April 2023. As precautionary measures, the DOH advised the citizens to maintain the minimum public health standards. They also encouraged the people to receive their vaccination and booster shots (Cabico, 2023a).

Moving forward, containment policies like strict border control and community quarantine remain the principal elements in repressing the impact of any health disaster. Introducing these interventions early during a health disaster could slow or reverse the impending growth rate of mortality (Dergiades et al., 2022). Along with these interventions, governments must also expend extensive efforts to develop vaccines to counter the virus strains. The Philippines, in particular, should primarily invest in improving the country's health systems to prevent the recurring hopelessness brought about by COVID-19 in the past years (Sarker et al., 2021; Morens et al., 2020).

As this study focuses on a national scope, the researchers recommend that future researchers venture into and analyze local COVID-19 initiatives to arrive at a locally applicable conclusion. Including the interventions released by other government offices could also improve the implications of this study. Moreover, a thorough analysis of the challenges faced while implementing initiatives could also be a pivotal area of focus to improve policy development further. Future research may also utilize different in-depth methods to assess the implications of initiatives for the trend of COVID-19 cases.

### REFERENCES

- 1. Amit, A.M.L., Pepito, V.C.F., & Dayrit, M.M. (2021). Early response to COVID-19 in the Philippines. Western Pacific Surveillance and Response Journal: WPSAR, 12(1), 56-60. https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8143926/#:~:text=The%20quarantine%20consisted% 20of%3
- 2. Border Control. (n.d.). Migration Research Hub. https://migrationresearch.com/taxonomies/topics-migration-governance-migration-policy-and-law-border-control#:~:text=Border%20control%20consis ts%20of%20actions,of%20people%2C%20goods%20and%20an
- 3. Cabico, G. K. (2023a, May 2). 4,456 COVID-19 infections recorded in last week of April as cases rise. Phil Star Global. https://www.philstar.com/headlines/2023/05/02/2263170/4456-covid-19-infections-recorded-last-week-april-cases-rise
- 4. Cabico, G. K. (2023b, May 9). DOH says COVID-19 pandemic not yet over after global health emergency lifting. PhilStar Global. https://www.philstar.com/headlines/2023/05/09/2265016/doh-says-covid-19-pandemic-not-yet-over-after-global-health-emergency-lifting
- 5. Caritas Australia. (2021, September 23). COVID-19 surge in Philippines threatens to overwhelm hospitals. https://www.caritas.org.au/news/latest-news/covid-19-surge-in-philippines-threatens-to-overwhelm-hospitals/



- 6. Centers for Disease Control and Prevention. (2021, July 20). CDC COVID-19 Global Response. Retrieved September 15, 2022, from https://www.cdc.gov/coronavirus/2019-ncov/global-covid-19/community-mitigation-measures.html
- 7. Chung, H.W., Apio, C., Goo, T. et al. (2021). Effects of government policies on the spread of COVID-19 worldwide. Sci Rep, 11, 20495. https://doi.org/10.1038/s41598-021-99368-9
- 8. Content Analysis. (2022). Retrieved October 26, 2022, from https://www.publichealth.columbia.edu/research/population-health-methods/content-analysis
- 9. Coresignal. (2022, February 11). Trend Analysis: Types, Benefits, and Examples. Retrieved September 16, 2022, from https://coresignal.com/blog/trend-analysis/
- 10. Cortez, M. F. (2021, April 10). The Philippines Hammered by Worst Covid Surge in Southeast Asia. Bloomberg.com. https://www.bloomberg.com/news/newsletters/2021-04-10/the-philippines-hammered-by-worst-covid-surge-in-southeast-asia
- 11. COVID-19 Tracker. (n.d.). Department of Health. https://doh.gov.ph/covid19tracker
- 12. David, L. M. (2021, March 29). Philippines sees 10,000 new COVID-19 cases as tight curbs return to capital. Reuters. https://www.reuters.com/business/healthcare-pharmaceuticals/philippines-reports-record-daily-rise-10016-coronavirus-cases-2021-03-29/
- 13. Dela Cruz, E. (2022, August 15). Pandemic pushed millions more into poverty in the Philippines, government says. Reuters. https://www.reuters.com/world/asia-pacific/pandemic-pushed-millions-more-into-poverty-philippines-govt-2022-08-15/
- 14. Department of Health. (2020a, July 13). Interim guidelines on COVID-19 management of pregnant women, women about to give birth, and newborns. https://doh.gov.ph/sites/default/files/health-update/dm2020-0319.pdf
- 15. Department of Health. (2020b, November 26). DOH's PDITR strategy to help country move towards new normal [Press release]. https://doh.gov.ph/node/25781
- 16. Department of Health. (2022b, September 13). Updated guidelines on the minimum public health standards for the continued safe reopening of institutions. https://doh.gov.ph/sites/default/files/health-update/dm2022-0433.pdf
- 17. Department of Health. (2022c, October 13). Interim revised case definitions for COVID-19. https://doh.gov.ph/sites/default/files/health-update/dm2022-0501.pdf
- 18. Department of Health. (2022d, December 1). DOH, NYC, UNICEF Philippines, Y-PEER Pilipinas Launch #Kabayanihan Youth Challenge to promote youth participation in COVID-19 vaccination [Press release]. https://doh.gov.ph/press-release/DOH-NYC-UNICEF-Philippines-Y-PEER-Pilipinas-launch-%23KaBayanihan-Youth-Challenge-to-promote-youth-participation-in-COVID-19-vaccination
- 19. Department of Health. (n.d.). What are the engineering controls to be observed to prevent COVID-19 transmission? https://doh.gov.ph/node/33549#:~:text=NHWSS-,What%20are%20the%20engineering%20controls%20to,to%20prevent%20COVID%2D19%20transmission%
- 20. Department of the Army Washington DC. (2012, July 10). Open Source Intelligence. Army Techniques Publication, 2. https://irp.fas.org/doddir/army/atp2-22-9.pdf
- 21. Dergiades, T., Milas, C., Mossialos, E., & Panagiotidis, T. (2022) Effectiveness of government policies in response to the first COVID-19 outbreak. PLOS Glob Public Health 2(4). https://journals.plos.org/globalpublichealth/article?id=10.1371/journal.pgph.0000242
- 22. Dhama, K., Khan, S., Tiwari, R., Sircar. S., Bhat, S., Malik, Y.S., Singh, K.P., Chaicumpa, W., Bonilla-Aldana, D.K., & Rofriguez-Morales, A.J. (2020). Coronavirus disease 2019—COVID-19. Clin Microbiol Rev., 33(4).https://journals.asm.org/doi/full/10.1128/CMR.00028-20
- 23. Dimagiba, V. (2020, September 26). Price freeze in the time of pandemic. Manila Bulletin. https://mb.com.ph/2020/09/26/price-freeze-in-the-time-of-pandemic/
- 24. Direct & Inverse Variation. (n.d.). https://www.varsitytutors.com/hotmath/hotmath\_help/topics/direct-inverse-variation
- 25. Division of Health Informatics and Surveillance. (2021, August 24). Coronavirus Disease 2019 (COVID-19) 2021 Case Definition. Centers for Disease Control and Prevention. https://ndc.services.cdc.gov/case-definitions/coronavirus-disease-2019-2021/



- 26. Dye, C. (2022). The benefits of large scale covid-19 vaccination. BMJ, 377:0867. https://www.bmj.com/content/377/bmj.0867
- 27. European Centre for Disease Prevention and Control. (2020, October 16). Guidance for discharge and ending of isolation of people with COVID-19. https://www.ecdc.europa.eu/sites/default/files/documents/Guidance-for-discharge-and-ending-of-isolation-of-people-with-COVID-19.pdf
- 28. Executive and Indigenous Affairs. (n.d.). Open Information. https://www.eia.gov.nt.ca/en/priorities/open-government/open-information#:~:text=Open%20Information%20%E2%80%93%20government%2Dheld%20information,user%
- 29. Fernando, J. (2022, August 12). Moving Average (MA): Purpose, Uses, Formula, and Examples. Investopedia. Retrieved September 16, 2022, from https://www.investopedia.com/terms/m/moving average.asp#:%7E:text=The%20Bottom%20Line-,A%20moving%20average%20(MA)%20is%20a%20 stock%20indicator%20commonly%20used,moving%20a
- 30. Financial assistance. (n.d.). In Cambridge Dictionary. Retrieved April 29, 2023, from https://dictionary.cambridge.org/us/dictionary/english/financial-assistance
- 31. Formplus Blog. (2020, January 15). What is Secondary Data? + [Examples, Sources, & Analysis]. Retrieved September 28, 2022, from https://www.formpl.us/blog/secondary-data
- 32. Geggel, L. (2020, April 16). The Bodies of People Who Died from COVID-19 May Still Be Contagious. Scientific American. https://scientificamerican.com/article/the-bodies-of-people-who-died-from-covid-19-may-still-be-contagious/
- 33. Goel,A. (2022), "Using secondary data in research on social sustainability in construction project management: a transition from "interview society" to "project-as-practice", Engineering, Construction and Architectural Management.https://www.emerald.com/insight/content/doi/ 10.1108/ ECAM-10-2021- 0905/full/html?skipTracking=true
- 34. Gotinga, J. (2021, March 18). Philippines battles COVID surge a year after protracted lockdown. Coronavirus Pandemic News | Al Jazeera. https://www.aljazeera.com/news/2021/3/16/philippines-battles-covid-surge-a-year-after-lockdown
- 35. Gralinski, L. E., & Menachery, V. D. (2020). Return of the Coronavirus: 2019-nCoV. Viruses, 12(2), 135. https://www.mdpi.com/1999-4915/12/2/135#cite
- 36. Holm, E. V. (2021). Alternative Methods of Data Collection. In Introduction to Research Methods. https://bookdown.org/ejvanholm/Textbook/alternative-methods-of-data-collection.html
- 37. Hossain, M.P., Junus, A., Zhu, X., Jia, P., Wen, T., Pfeiffer, D., & Yuan, H. (2020, September). The effects of border control and quarantine measures on the spread of COVID-19. Epidemics, 32, 100397. sciencedirect.com/science/article/pii/S1755436520300244
- 38. Kilroy, G., & Somma, S. (2020, July 14). During the Pandemic, Monitoring and Evaluation Matter More Than Ever | Asian Development Blog. https://blogs.adb.org/blog/during-pandemic-monitoring-and-evaluation-matter-more-than-ever
- 39. Liu, C. (2021). Health information systems amid COVID-19 outbreak: Lessons from China. Health Information Management Journal, 50(1), 99-100. https://journals.sagepub.com/doi/epdf/10.1177/183 3358320 947557 Luna, F. (2020, March 16).
- 40. Duterte places entire Luzon under "enhanced" community quarantine. Philstar.com. https://www.philstar.com/headlines/2020/03/16/2001320/duterte-places-entire-luzon-under enhanced-community-quarantine
- 41. Magsambol, B. (2021, April 20). Rise in COVID-19 daily recoveries expected. Here's why.RAPPLER. https://www.rappler.com/nation/doh-says-covid-19-daily-recoveries-expected-oplan-recovery/
- 42. Mcleod, S. (2020, December 29). Maslow's Hierarchy of Needs. Simply Psychology. Retrieved September 28, 2022, from https://www.simplypsychology.org/maslow.html
- 43. Mendoza, A.J.M., Dela Cruz, M.D.M., Gozum, I.E.A., & Galang, J.R.F. (2021, June 7). The need for mass testing and the proper post-COVID-19 test behavior in the Philippines. J Public Health (Oxf), 43(2):e348-e349. https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7989505/.



- 44. Morens, D. M., Breman, J. G., Calisher, C. H., Doherty, P. C., Hahn, B. H., Keusch, G. T., Kramer, L.D., LeDuc, J. W., Monath, T. P., & Taubenberger, J. K. (2020). The Origin of COVID-19 and Why It Matters. The American Journal of Tropical. Medicine and Hygiene, 103(3), 955-959. https://www.ncbi.nlm.nih.gov/pmc/a https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7470595/rticles/PMC7470595/
- 45. Organization for Economic Cooperation and Development. (2020, March 24). Flattening the COVID-19 peak: Containment and mitigation policies. OECD. Retrieved September 15, 2022, from https://www.oecd.org/coronavirus/policy-responses/flattening-the-covid-19-peak-containment-and-mitigation-policies-e96a4226/
- 46. Parrocha, A. (2021, September 30). IATF role vital in fight vs. Covid-19: Palace. Philippine News Agency. Retrieved September 28, 2022, from https://www.pna.gov.ph/articles/1155174
- 47. Quilty, B.J., Clifford, S., Hellewell, J., Russell, T.W., Kucharski, A.J., Flasche, S., Edmunds, W.J., & Group CCW, et al. (2021). Quarantine and testing strategies in contact tracing for SARS-CoV-2: a modeling study. Lancet Public Health, 6: e175–83. https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7826085/pdf/main.pdf
- 48. Sarker, M.T.; Hasan, A.Q.F.; Rafi, M.O.; Hossain, M.J.; El-Mageed, H.R.A.; Elsapagh, R.M.; Capasso, R.; Emran, T.B. (2021). A comprehensive overview of the newly emerged COVID-19 pandemic: Features, origin, genomics, epidemiology, treatment, and prevention. Biologics, 1, 357–383. https://www.ecdc.europa.eu/sites/default/files/documents/covid-19-supply-substances-human-or https://ebn.bmj.com/content/20/3/74igin.pdf
- 49. See, A. B. (2021, March 15). Rodrigo Duterte Is Using One of the World's Longest COVID-19 Lockdowns to Strengthen His Grip on the Philippines. Time. https://time.com/5945616/covid-philippines-pandemic-lockdown/
- 50. Senate of the Philippines. (2020, February 2). PRRD imposes temporary travel ban to cover alltravelers coming from any part of China, says Bong Go [Press release]. https://legacy.senate.gov.ph/press\_release/2020/0202\_go2.asp
- 51. Shen, M., Xiao, Y., Zhuang, G., Li, Y., & Zhang, L. (2021, May 28). Mass testing-An underexplored strategy for COVID-19 control. Innovation (Camb), 2(2):100114. https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8081571/.
- 52. Shorten, A., & Smith, J. (2017). Mixed methods research: expanding the evidence base. Evidence-Based Nursing, 20(3):74-75. https://ebn.bmj.com/content/20/3/74
- 53. Subedi, D. (2016). Explanatory Sequential Mixed Method Design as the Third Research Community of Knowledge Claim. American Journal of Educational Research, 4(7), 570-577.https://www.researchgate.net/publication/316546967\_Explanatory\_Sequential\_Mixed\_Method\_Design a
- 54. Suthar, A.B., Wang, J., Seffren, V., Wiegand, R.E., Griffing, S., Zell, E. (2022). Public health impact of covid-19 vaccines in the US: observational study. BMJ, 377:e069317. https://www.bmj.com/content/377/bmj-2021-069317
- 55. Talabis, D.A.S., Babierra, A.L., Buhat, C.A.H., Lutero, D.S., Quindala, K.M., & Rabajante, J.F. (2021). Local government responses for COVID-19 management in the Philippines. BMC Public Health, 21, 1711. https://bmcpublichealth.biomedcentral.com/articles/10.1186/s12889-021-11746-0
- 56. Toole, M. (2021, September 9). The Philippines passes the 2 million mark as COVID-19 cases surge in Southeast Asia. The Conversation. https://theconversation.com/the-philippines-passes-the-2-million-mark-as-covid-19-cases-surge-in-southeast-asia-167186
- 57. Turner, D. (2018, July 20). 10 alternative qualitative methods. Quirkos Qualitative Research Blog. Retrieved September 28, 2022, from https://www.quirkos.com/blog/post/10-alternative-qualitative-methods/
- 58. UC San Diego. (2022, October 27). Engineering Controls for Laboratory Safety. https://blink.ucsd.edu/safety/research-lab/laboratory/engineering.html#:~:text=\*%20Engineering%20controls%20are%20 used%20to,frequency%2C



- 59. Umakanthan, S., Sahu, P., Ranade, A.V., Bukelo, M.M., Rao, J.S., Abrahao-Machado, L.F., Dahal, S., Kumar, H., & Dhananjaya, K.V. (2020). Origin, transmission, diagnosis and management of coronavirus disease 2019 (COVID-19). Postgraduate Medical Journal, 96:753-758. https://pmj.bmj.com/content/96/1142/753.citation-tools
- 60. Villanueva, R. (2022, August 27). COVID-19 cases declining across the country DOH. PhilStar. Retrieved September 16, 2022, from https://www.philstar.com/headlines/2022/08/27/2205397/covid-19-cases-declining-across-country-doh
- 61. Walden, M. (2021b, December 19). Why many Filipinos celebrate Christmas from September 1. ABC News. https://www.abc.net.au/news/2021-12-19/why-many-filipinos-celebrate-christmas-from-september-1/100677072
- 62. Wang, C., Tee, M., Roy, A. E., Fardin, M. A., Srichokchatchawan, W., Habib, H. A., Tran, B. X., Hussain, S., Hoang, M. T., Le, X. T., Ma, W., Pham, H. Q., Shirazi, M., Taneepanichskul, N., Tan, Y., Tee, C., Xu, L., Xu, Z., Vu, G. T., . . . Kuruchittham, V. (2021). The impact of COVID-19 pandemic on physical and mental health of Asians: A study of seven middle-income countries in Asia. PLOS ONE, 16(2), e0246824. https://doi.org/10.1371/journal.pone.0246824
- 63. Wee, S., & Elemia, C. (2022, January 18). A Record Virus Surge in the Philippines, but Doctors Are Hopeful. The New York Times. https://www.nytimes.com/2022/01/17/world/asia/philippines-covid-surge-omicron.html
- 64. WHO Western Pacific. (2020, December 18). COVID Kaya: A digital platform for COVID-19 information management in the Philippines. World Health Organization. https://www.who.int/philippines/news/feature-stories/detail/covid-kaya-a-digital-platform-for-covid-19-information-management-in-the-philippines
- 65. WHO Western Pacific. (2022, April 5). Which type of COVID-19 test do I need. https://www.who.int/mongolia/multi-media/item/which-type-of-covid-19-test-do-i-need
- 66. Why is COVID-19 Testing Important? (n.d.). Hologic. https://www.hologic.com/COVIDtest#: ~:text=What%20are%20the%20benefits%20of%20the%20test%3F&te
- 67. Wilk, A.M., Łakomiec, K., Psiuk-Maksymowicz, K., & Fujarewicz, K. (2022). Impact of government policies on the COVID-19 pandemic unraveled by mathematical modelling. Sci Rep, 12, 16987. https://www.nature.com/articles/s41598-022-21126-2
- 68. World Bank Group. (2022, October 10). Delivering COVID-19 Vaccines to the Last Mile in the Philippines. World Bank. https://www.worldbank.org/en/news/feature/2022/10/10/delivering-covid-19-vaccines-to-the-last-mile-in-the-philippines#:~:text=Ramping%20up%20vaccination%20has %20helped, %E2%80%939.5%25%20contraction
- 69. World Bank. (2020, June 8). Projected poverty impacts of COVID-19 (coronavirus). World Bank. Retrieved September 27, 2022, from https://www.worldbank.org/en/topic/poverty/brief/projected-poverty-impacts-of-COVID-19
- 70. World Bank. (2021). GDP growth (annual %) | Data. Retrieved September 27, 2022, from https://data.worldbank.org/indicator/NY.GDP.MKTP.KD.ZG
- 71. World Health Organization. (2020a). Report of the WHO-China Joint Mission on Coronavirus Disease 2019 (COVID-19) 16-24 February 2020. Geneva: World Health Organization. https://www.who.int/docs/default-source/coronaviruse/who-china-joint-mission-on-covid-19-final-report.pdf
- 72. World Health Organization. (2020b, February 12). COVID-19 Public Health Emergency of International Concern (PHEIC). https://www.who.int/publications/m/item/covid-19-public-health-emergency-of-international-concern-(pheic)-global-research-and-innovation-forum
- 73. World Health Organization. (2020d, October 13). Impact of COVID-19 on people's livelihoods, their health and our food systems. Retrieved September 15, 2022, from https://www.who.int/news/item/13-10-2020-impact-of-covid-19-on-people's-livelihoods-their-health-and-our-food-systems
- 74. World Health Organization. (2021). Community vaccinations help overcome stigma and practical barriers. www.who.int. https://www.who.int/philippines/news/feature-stories/detail/philippines-community-vaccinations-help-overcome-stigma-and-practical-barriers



- 75. World Health Organization. (2022a). WHO Coronavirus (COVID-19) Dashboard. Retrieved September 15, 2022, from https://covid19.who.int/.
- 76. World Health Organization. (2023, May 5). Statement on the fifteenth meeting of the IHR (2005) Emergency Committee on the COVID-19 pandemic.
- 77. World Health Organization. https://www.who.int/news/item/05-05-2023-statement-on-the-fifteenth-meeting-of-the-international- health-regulations-(2005)-emergency-committee-regarding-the-coronavirus-disease-(covid-19)- pandemic
- 78. WorldRemit Content Team. (2022, December 23). Christmas in the Philippines: traditions, food, and facts. WorldRemit. https://www.worldremit.com/en/blog/community/christmas-in-the-philippines/
- 79. Wyborn, C. Louder, E., Harrison, J., & Montambault, J. (2018). Understanding the impacts of synthesis research. Environmental Science & Policy, 26, 72-84. https://www.researchgate.net/publication/325736618\_Understanding\_the\_impacts\_of\_synthesis\_research
- 80. Zoleta, V. (2021, July 23). Affected by the Pandemic? Get Help Through COVID-19 Government Assistance Programs. MoneyMax. https://www.moneymax.ph/government-services/articles/covid-19-government-assistance