Green Chemistry: Sustainable Principles, Emerging Technologies and Applications for Environmental Protection

Sandhya Patre[1]*, Manharan Yadav[2] and Rakesh Kumar Kurre[3]

[1,2] Sant Shiromani Guru Ravidas Government College, Sargaon, District- Mungeli, Chhattisgarh, India

[3]Govt. J.M.P. Government College, Sargaon, District- Bilaspur, Chhattisgarh, India

DOI: https://doi.org/10.51244/IJRSI.2026.1309000104

Received: 20 September 2026; Accepted: 25 September 2026; Published: 09 October 2026

ABSTRACT

Green chemistry has emerged as an important scientific approach for achieving sustainable development by preventing pollution at the source and reducing the environmental and health hazards associated with chemical processes. Conventional chemical production often depends on non-renewable raw materials, hazardous solvents, and energy-intensive processes and generates significant quantities of waste. Green chemistry provides an alternative approach in which chemical products and processes are designed to minimize or eliminate the use and generation of hazardous substances. The twelve principles of green chemistry provide a framework for waste prevention, atom economy, safer synthesis, safer solvents, energy efficiency, renewable feedstocks, catalysis, design for degradation and inherently safer processes. Recent developments include green solvents, deep eutectic solvents, biocatalysis, photocatalysis, mechanochemistry, biomass valorization, biodegradable polymers and green nanotechnology. These approaches have significant applications in pharmaceutical synthesis, agriculture, water purification, waste management, materials science and industrial chemistry. This review discusses the fundamental concepts of green chemistry and examines emerging technologies and their potential applications in environmental protection. Particular attention is given to renewable resources, catalytic processes, biomass-derived materials, safer reaction media and pollution-prevention strategies. The integration of green chemistry with circular economy, renewable energy, life-cycle assessment and modern computational tools can contribute to resource efficiency and sustainable chemical manufacturing. Although challenges related to scalability, cost, toxicity assessment and complete life-cycle sustainability remain, continued development of safer and more efficient chemical technologies can strengthen the contribution of chemistry to environmental protection and sustainable development.

Keywords: Green chemistry; sustainable chemistry; green solvents; catalysis; renewable feedstocks; biomass; biodegradable polymers; environmental protection; waste minimization; circular economy.

INTRODUCTION

Chemistry is fundamental to modern society and contributes significantly to pharmaceuticals, agriculture, food production, energy, materials, water treatment and industrial manufacturing [1,2,3]. However, many conventional chemical processes depend on fossil-based raw materials, hazardous reagents and volatile organic solvents. They may also require substantial energy and produce unwanted by-products and wastes. Increasing awareness of environmental degradation, climate change, resource depletion and chemical pollution has created a need for safer and more sustainable approaches to chemical production.

Green chemistry provides a preventive approach to these challenges. It focuses on the design of chemical products and processes that reduce or eliminate the use and generation of hazardous substances. The concept differs from conventional pollution control because it attempts to prevent pollution during the design and production stages rather than treating waste after it has already been produced [4,5]. The twelve principles of green chemistry developed by Anastas and Warner provide a framework for designing safer and more

ISSN No. 2321-2705 | DOI: 10.51244/IJRSI |Volume XIII Issue IX September 2026

efficient chemical processes [4]. These principles address waste prevention, atom economy, toxicity reduction, safer solvents, energy efficiency, renewable feedstocks, catalysis, degradation and accident prevention. They can be applied from laboratory-scale synthesis to industrial manufacturing.

Green chemistry is now closely associated with sustainable chemistry and circular economy concepts [6,7,10]. The modern approach considers not only the chemical reaction itself but also raw-material sourcing, energy requirements, solvent use, product lifetime, recycling and end-of-life management [6,7,8,9,10,]. Consequently, green chemistry has expanded into areas including biomass conversion, green nanotechnology, water treatment, pharmaceutical manufacturing, sustainable polymers and renewable-energy-related chemical processes.

METHODOLOGY OF THE REVIEW

This article is a narrative review based on published scientific literature concerning green chemistry, sustainable synthesis, green solvents, catalysis, renewable feedstocks, biomass utilization, biodegradable materials and environmental applications.Relevant literature was identified through commonly used scholarly sources including Google Scholar, Web of Science, ScienceDirect, SpringerLink and Royal Society of Chemistry publications. Search terms included “green chemistry”, “sustainable chemistry”, “green solvents”, “green catalysis”, “renewable feedstocks”, “biomass valorization”, “green nanotechnology”, “water purification” and “green chemical processes”. The selected literature was evaluated with emphasis on the principles of green chemistry, recent technological developments, environmental applications, advantages and limitations. The purpose of the review is to provide an integrated overview rather than to report new experimental data.

Twelve Principles of Green Chemistry

The twelve principles of green chemistry provide a systematic framework for designing safer chemical products and processes [4] Fig 1.



Fig.1 Twelve Principles of Green Chemistry

Prevention of Waste

The preferred approach is to prevent waste formation rather than generate waste and subsequently treat or dispose of it [4,5,8,11] . Efficient synthetic routes can reduce the amount of unwanted material entering the waste stream.

ISSN No. 2321-2705 | DOI: 10.51244/IJRSI |Volume XIII Issue IX September 2026

Atom Economy

Atom economy measures the extent to which atoms from the reactants are incorporated into the desired product [4,12]. Reactions with high atom economy generally produce fewer unwanted by-products.

Less Hazardous Chemical Synthesis

Chemical processes should be designed to use and generate substances with low toxicity to humans and the environment [4,5,11]. Replacing hazardous reagents with safer alternatives is an important green chemistry strategy.

Designing Safer Chemicals

Chemical products should provide their desired function while minimizing toxicity. This principle is important for pesticides, pharmaceutical compounds, surfactants and industrial chemicals.

Safer Solvents and Auxiliaries

Solvents and auxiliary substances should be avoided whenever possible or replaced by safer alternatives [13,14,15]. Water, ethanol and selected bio-based solvents can provide alternatives to some hazardous conventional solvents.

Energy Efficiency

Chemical reactions should ideally be conducted under conditions that minimize energy consumption. Reactions occurring at ambient temperature and pressure can reduce energy requirements.

Renewable Feedstocks

Renewable raw materials such as biomass, cellulose, starch, agricultural residues and vegetable oils can reduce dependence on finite fossil resources [16,17,18].

Reduce Derivatives

Unnecessary protection, deprotection and temporary chemical modifications should be avoided because they frequently require additional reagents and generate waste.

Catalysis

Catalytic reactions are generally preferred over stoichiometric reactions because catalysts can improve reaction rate and selectivity while reducing material and energy requirements [1,12,19,18].

Designs for Degradation

Chemical products should be designed to degrade into relatively harmless substances after fulfilling their intended purpose. This principle is particularly relevant to polymers, detergents and agricultural chemicals.

Real-Time Analysis

Real-time monitoring of chemical processes can help detect the formation of unwanted substances and permit process optimization before substantial waste is produced.

Inherently Safer Chemistry

Chemical processes should minimize the potential for accidents such as fires, explosions and hazardous releases by selecting safer substances and operating conditions [1,2].

ISSN No. 2321-2705 | DOI: 10.51244/IJRSI |Volume XIII Issue IX September 2026

Green Solvents and Reaction Media

Solvents are often among the largest components of a chemical process and may significantly influence its environmental footprint. Conventional organic solvents can be volatile, flammable and toxic. Therefore, solvent selection is an important component of green chemistry. Water is an attractive reaction medium because it is abundant, inexpensive and non-flammable. Ethanol and certain other relatively safer solvents can also be used for appropriate chemical transformations. Solvent-free reactions represent another strategy because they can eliminate solvent-associated waste.

Deep eutectic solvents (DESs) have attracted increasing interest as alternative reaction media. They can be prepared from suitable components that interact to produce mixtures with significantly lower melting points than their individual components. Their properties can be adjusted according to the intended application. DESs have been investigated in extraction, catalysis, synthesis, biomass processing and materials preparation. They can also be used in biomass pretreatment and the preparation or functionalization of carbon-based materials. However, the term “green solvent” should not be applied solely because a solvent is new or bio-derived. Toxicity, biodegradability, energy consumption, preparation method, recovery and complete life-cycle impact must also be considered.

Green Catalysis and Biocatalysis

Catalysis is one of the most important strategies for improving the sustainability of chemical reactions. Catalysts can enhance reaction rates, improve selectivity and reduce energy requirements. Heterogeneous catalysts offer the potential advantage of easy separation and reuse. Homogeneous catalysts can provide high selectivity but may require additional separation steps. The choice of catalyst should therefore consider both chemical performance and overall environmental impact.

Biocatalysis employs enzymes or microorganisms to perform chemical transformations. Enzymes generally operate under relatively mild conditions and can exhibit high chemo-, regio- and stereoselectivity. Applications include pharmaceutical synthesis, food chemistry, fine chemicals and biomass conversion.

The environmental benefit of catalysis should nevertheless be evaluated throughout the catalyst life cycle. Catalyst synthesis, use, regeneration and disposal may contribute to the overall environmental footprint.

Renewable Feedstocks and Biomass Valorization

The transition from fossil-based raw materials to renewable feedstocks is an important component of sustainable chemistry [6,16,23]. Biomass contains valuable components such as cellulose, hemicellulose, lignin, starch, proteins and lipids.

Agricultural residues such as rice husk, wheat straw, coconut shells, fruit residues and other plant materials can potentially be converted into useful chemicals [16,18] and functional materials. Such approaches can provide value from materials that might otherwise be discarded or burned.

Biomass can be converted into activated carbon, biochar, adsorbents, platform chemicals and polymeric materials. Biomass-derived carbon materials have received particular attention because of their surface chemistry and potential applications in adsorption and environmental remediation.

However, sustainable biomass utilization requires careful assessment of land use, water consumption, transportation, energy input and competition with food production. Therefore, renewable origin alone does not guarantee sustainability.

Green Chemistry for Water Purification

Water contamination by heavy metals, dyes, pesticides, pharmaceuticals and other emerging contaminants represents a significant environmental challenge. Green chemistry [6,7] can contribute to water purification through the development of safer adsorbents, catalysts, membranes and treatment processes. Bio-based

ISSN No. 2321-2705 | DOI: 10.51244/IJRSI |Volume XIII Issue IX September 2026

adsorbents derived from agricultural residues are being investigated for removal of pollutants from aqueous systems. Their surface functional groups can interact with metal ions and organic contaminants.

Biochar and activated carbon prepared from biomass can provide relatively low-cost adsorbent materials. Surface modification can further enhance their adsorption capacity. However, chemical activation and modification steps should themselves be evaluated for reagent consumption and waste generation. Photocatalytic processes can degrade certain organic pollutants using light-activated catalysts [20]. When renewable light sources or solar energy are used, photocatalysis may provide opportunities for reducing conventional energy consumption. Membrane separation is another important technology. Improved membrane materials can potentially remove contaminants with lower chemical consumption. Nevertheless, membrane production, fouling, cleaning and disposal should be included in sustainability assessments.

Green Chemistry and Soil Remediation

Soil contamination by heavy metals and persistent organic pollutants can reduce soil quality and affect agricultural productivity. Conventional remediation techniques may involve high energy consumption, excavation or chemical treatment [7,16].

Green chemistry encourages the development of remediation technologies that minimize secondary pollution. Biochar, biomass-derived adsorbents, biodegradable materials and environmentally compatible amendments can be investigated for immobilization or removal of selected contaminants [5,7,9]. The effectiveness of a remediation strategy should not be evaluated only by contaminant removal. Changes in soil properties, microbial activity, nutrient availability and long-term contaminant mobility are also important. The use of renewable materials in soil remediation can contribute to circularity by converting agricultural residues into environmental remediation products.

Green Chemistry in Agriculture

Modern agriculture depends on fertilizers, pesticides, herbicides and plant-growth products. Excessive or inefficient use of agricultural chemicals can contribute to soil and water pollution. Green chemistry can contribute through the development of safer pesticides, biodegradable formulations, controlled-release fertilizers and efficient nutrient-delivery systems. Controlled-release systems can regulate the availability of nutrients and potentially reduce losses.

Biodegradable carriers may provide alternatives to persistent materials. Safer-by-design approaches can also be used to develop agricultural chemicals that provide the required biological activity with reduced environmental persistence. Agricultural waste can simultaneously become a feedstock for producing adsorbents, biochar, biodegradable materials and other value-added products. This approach connects green chemistry with the circular economy.

Green Chemistry in Pharmaceutical Synthesis

Pharmaceutical manufacturing frequently involves several reaction steps, organic solvents, purification processes and energy-intensive operations. Green chemistry can reduce the environmental impact of pharmaceutical production by improving reaction efficiency and reducing solvent and reagent consumption.

Catalytic synthesis, biocatalysis, continuous-flow chemistry and solvent replacement can contribute to process improvement. Shorter synthetic routes and reactions with higher atom economy can also reduce waste. Water-based synthesis can provide an alternative to some conventional organic-solvent-based processes. However, solvent selection must be based on the complete process because aqueous reactions may require energy-intensive separation or purification. The development of greener pharmaceutical manufacturing should therefore balance environmental considerations with product quality, safety, economic feasibility and regulatory requirements [19,21,22].

Green Polymers and Sustainable Materials

Plastic pollution has increased interest in biodegradable, recyclable and bio-based polymers [6,7,9] . Green chemistry approaches aim to reduce the environmental impact associated with polymer production and disposal. Bio-based polymers may be produced from renewable resources such as starch, cellulose, vegetable oils and other biomass-derived feedstocks. Biodegradable polymers can potentially reduce persistence under appropriate environmental or industrial composting conditions.

However, biodegradability depends strongly on environmental conditions. A polymer described as biodegradable under industrial composting conditions may not degrade rapidly in natural soil or aquatic environments. Therefore, claims regarding biodegradability should be supported by appropriate testing. Recycling and chemical recovery of polymers are also important aspects of sustainable materials management.

Green Nanotechnology

Nanomaterials possess unique properties and have applications in catalysis, sensing, medicine, water treatment and materials science [6, 9, 20]. However, conventional nanoparticle synthesis can involve toxic reducing agents, stabilizers and organic solvents. Green synthesis approaches use biological materials such as plant extracts, microorganisms and bio-derived compounds as reducing or stabilizing agents. These approaches can potentially reduce the use of hazardous chemicals. For environmental applications, nanomaterials can function as adsorbents, photocatalysts and sensing platforms. Nevertheless, nanoparticle release into the environment and their possible effects on microorganisms, plants and aquatic organisms require careful assessment. Therefore, green nanotechnology should focus not only on the synthesis route but also on the entire life cycle of the nanomaterial.

Photochemistry and Solar-Driven Processes

Photochemistry provides opportunities to use light energy for chemical transformations [20]. Photocatalytic processes have been investigated for organic synthesis, pollutant degradation, hydrogen production and carbon dioxide conversion. Solar-driven chemical processes can potentially reduce dependence on conventional energy sources. However, practical implementation depends on light absorption efficiency, catalyst stability, reactor design and scalability. Combining photocatalysis with renewable electricity or solar irradiation represents an interesting direction for sustainable chemical processing.

Mechanochemistry

Mechanochemistry involves chemical transformations induced or promoted by mechanical energy [6]. Many mechanochemical reactions can be performed with little or no solvent. Reduction in solvent use can decrease waste and simplify downstream processing. Mechanochemistry has been explored in organic synthesis, materials preparation and inorganic chemistry. Important challenges include scale-up, process control, reproducibility and development of suitable equipment for industrial applications.

Green Chemistry and Circular Economy

Green chemistry and circular economy concepts are closely connected [6,7,20] . Circular economy aims to minimize resource loss by maintaining materials and products in use for as long as possible. Green chemistry contributes at the molecular level by designing products that are safer, recyclable, reusable or degradable. Waste streams can be considered potential sources of raw materials.

Examples include conversion of agricultural residues into adsorbents, recovery of useful chemicals from industrial waste, recycling of polymers and regeneration of catalysts. The combination of green chemistry and circular economy can reduce dependence on virgin resources and decrease waste generation.

ISSN No. 2321-2705 | DOI: 10.51244/IJRSI |Volume XIII Issue IX September 2026

Role of Artificial Intelligence and Digital Technologies

Digital technologies are increasingly being explored in chemical research [6]. Artificial intelligence and machine-learning methods can assist in predicting reaction outcomes, identifying potential catalysts, selecting solvents and optimizing reaction conditions. Integration of digital tools with green chemistry metrics could help researchers compare multiple synthetic routes according to waste generation, energy consumption, toxicity and resource efficiency. However, computational tools themselves require data and computational resources. Their environmental benefits should therefore be considered in relation to the complete workflow.

Green Chemistry Metrics

Quantitative metrics are important for evaluating whether a process is actually becoming greener. Commonly used concepts include: Atom economy, Reaction mass efficiency, E-factor, Process mass intensity, Solvent intensity, Energy consumption, Carbon footprint, Toxicity, Water consumption, Waste generation. The E-factor, introduced and developed extensively in green chemistry literature, relates waste generation to product production [24]. Metrics allow researchers to compare alternative processes rather than relying solely on qualitative claims. A comprehensive assessment should ideally combine chemical efficiency with life-cycle considerations.

Challenges in the Implementation of Green Chemistry

Despite substantial progress, several challenges remain [6,7,8,9].

Cost

Some green technologies may initially be more expensive because of specialized catalysts, equipment or purification requirements.

Scale-Up

A reaction that performs well at laboratory scale may behave differently during industrial production. Heat transfer, mixing, mass transfer and process control become increasingly important during scale-up.

Availability of Renewable Feedstocks

Biomass availability may vary seasonally and geographically. Transportation and pretreatment can also influence the environmental footprint.

Complete Life-Cycle Assessment

A process should not be considered sustainable solely because it uses a renewable raw material. Energy consumption, water requirements, waste generation, transportation and end-of-life management should also be considered.

Toxicity and Environmental Fate

New materials, solvents and nanomaterials require careful assessment of toxicity, persistence and environmental fate.

Future Perspectives

Future green chemistry research is expected to focus increasingly on integrated approaches rather than individual “green” modifications [6,7,9,10,]. Important future directions include:

- Development of safer and recyclable solvents.

- Expansion of catalytic and biocatalytic processes.
- Efficient conversion of agricultural waste into value-added products.
- Development of biodegradable and recyclable materials.
- Solar-driven and electrochemical synthesis.
- Safer nanomaterials and green nanotechnology.
- Integration of artificial intelligence with reaction optimization.
- Life-cycle-based evaluation of chemical processes.
- Integration of green chemistry with circular economy.
- Development of scalable industrial processes with low environmental impact.

The most sustainable chemical process will generally be one that minimizes hazardous materials, waste, energy consumption and resource use simultaneously rather than optimizing only one parameter [24].

CONCLUSION

Green chemistry represents a preventive and design-oriented approach to sustainable chemical development [1,2,4,5,11,21,23]. Its twelve principles provide a framework for reducing waste, improving atom economy, selecting safer substances and solvents, increasing energy efficiency, using renewable feedstocks and employing catalysis. Recent developments in deep eutectic solvents, biocatalysis, biomass valorization, green nanotechnology, photocatalysis, mechanochemistry and sustainable polymers have expanded the practical scope of green chemistry. These technologies have potential applications in pharmaceutical synthesis, agriculture, water purification, soil remediation, waste management and materials science. However, a process cannot be considered sustainable simply because it uses a renewable feedstock, a biological catalyst or a newly developed solvent. Comprehensive assessment of toxicity, energy consumption, resource use, recyclability, scalability and life-cycle impacts is essential.

The future of chemistry lies in developing processes that are simultaneously efficient, economically feasible, safe and environmentally responsible. Integration of green chemistry with circular economy, renewable energy, life-cycle assessment and digital technologies can play an important role in achieving sustainable development and protecting environmental resources.

ACKNOWLEDGEMENT

The author gratefully acknowledges the academic resources and institutional facilities used for preparation of this review.

REFERENCES

1. Poliakoff, M., & Licence, P. (2007). Green chemistry. Nature, 450, 810–812. DOI: 10.1038/450810a.
2. Lancaster, M. (2016). Green Chemistry: An Introductory Text. 3rd ed. Royal Society of Chemistry, Cambridge.
3. Anastas, P. T., & Warner, J. C. (2004). Green chemistry: theory and practice and the development of sustainable chemical processes. Chemical Health and Safety, 11, 38–40.
4. Anastas, P. T., & Warner, J. C. (1998). Green Chemistry: Theory and Practice. Oxford University Press, New York.
5. Anastas, P. T., & Eghbali, N. (2010). Green chemistry: principles and case studies. Chemical Society Reviews, 39, 301–312.
6. Li, C. J. (2016). Sustainable chemistry: where is the field going? Nature Chemistry, 8, 543–544.
7. Kümmerer, K. (2017). Sustainable chemistry: a future guiding principle. Green Chemistry, 19, 4851–4858.
8. Clark, J. H. (1999). Green chemistry: challenges and opportunities. Green Chemistry, 1, 1–8.
9. Zimmerman, J. B., Anastas, P. T., Erythropel, H. C., & Leitner, W. (2020). Designing for a green chemistry future. Science, 367, 397–400.

10. Sheldon, R. A. (2018). Metrics of green chemistry and sustainability: past, present and future. ACS Sustainable Chemistry & Engineering, 6, 8132–8138.
11. Anastas, P. T., & Kirchhoff, M. M. (2002). Origins, current status, and future challenges of green chemistry. Accounts of Chemical Research, 35, 686–694.
12. Li, C. J., & Trost, B. M. (2008). Green chemistry for chemical synthesis. Proceedings of the National Academy of Sciences, 105, 13197–13202.
13. Sheldon, R. A. (2005). Green solvents for sustainable organic synthesis: state of the art. Green Chemistry, 7, 267–278.
14. Capello, C., Fischer, U., & Hungerbühler, K. (2007). What is a green solvent? A comprehensive framework for the environmental assessment of solvents. Green Chemistry, 9, 927–934.
15. Constable, D. J. C. (2002). The solvent selection guide—making green solvent choices. Green Chemistry, 4, 521–523.
16. Sheldon, R. A. (2016). Green chemistry, catalysis and valorization of waste biomass. Green Chemistry, 18, 3180–3183.
17. Clark, J. H., & Macquarrie, D. J. (2002). Handbook of Green Chemistry and Technology. Blackwell Science.
18. Sheldon, R. A., & Sanders, J. P. M. (2015). Toward an integrated biorefinery. Catalysis Today, 239, 3–6.
19. Sheldon, R. A., & Woodley, J. M. (2018). Role of biocatalysis in sustainable chemistry. Chemical Reviews, 118, 801–838.
20. Horváth, I. T., & Anastas, P. T. (2007). Innovations and green chemistry. 20. Chemical Reviews, 107, 2169–2173.
21. Jiménez-González, C., & Constable, D. J. C. (2011). Green Chemistry and Engineering: A Practical Design Approach. Wiley.
22. Dunn, P. J. (2012). The importance of green chemistry in process research and development. Chemical Society Reviews, 41, 1452–1461.
23. Welton, T. (1999). Room-temperature ionic liquids. Solvents for synthesis and catalysis. Chemical Reviews, 99, 2071–2083. DOI: 10.1021/cr980032t.
24. Sheldon, R. A. (2007). The E factor: fifteen years on. Green Chemistry, 9, 1273–1283. DOI: 10.1039/B713736M.https://rsisinternational.org/journals/ijrsi/final-manuscript-submission/?draft=7d7e4a907e4f